

HYFERET FAF

Fields of application: Permanent anticrease and

dimensional stable finish of cellulose and blends with

synthetics

Permanent fixing of calender effects, improved effect and permanence of hydrophobic

finishes

Composition: Partially etherified, formaldehyde condensate, low-

formaldehyde (0.3 %)

Appearance: Clear, colourless liquid

lonic state: Non-polar

pH-value (10 % solut.i.dist.water): Approx. 8 - 10

Solubility: In cold water at any ratio

Stabilities: For at least 8 hours, if the usual catalysts are added

Storage stability: Approx. 12 months after delivery, if stored in the

original unopened drums under the stated conditions

Storage conditions: Recommended storage temperature: + 3 °C + 35 °C

The product thickens if exposed to frost, but can be

used again after warming and stirring

Packing: Drum, container

Factory and Office: Jl. Cikuya Tonggoh No.77 Ds.Lagadar, Kec.Margaasih, Kab.Bandung -Jawa Barat-

Indonesia Phone 022.667.64.19 Fax: 022.667.64.29

Head Office: Jl. Setrasari V No 17 Bandung Phone 022.200.15.66 Fax: 022.200.15.67