

## **DYEING AUXILIARIES**

## **HYPERTEX DIS**

Fields of application:

Dyeing auxiliary for the prevention of oligomer deposits on PES and one bath dyeing cationic dyes and anionic dyes (Acryl and Cotton or Rayon one bath dye)

Composition:	Modified, sulphonated condensation products
Appearance:	Brown liquid
Ionic state:	Anionic
pH-value (10 % solution):	Approx. 8
Density (20 °C):	Approx. 1.1 g/cm <sup>3</sup>
Viscosity (20 °C):	Approx. 80 mPa.s
Solubility:	In cold water Can also be added to the liquors in undiluted form
Stabilities:	Stable to hard water up to 15 °dH Stable to salts, acids and alkalis in concentrations usual in PES dyeing
Storage stability:	Approx. 12 months after delivery, if stored in the original unopened drums under the stated conditions
Storage conditions:	Recommended storage temperature: + 3 °C to + 35 °C Resistant to frost
Packing:	Drum, container

Factory and Office : Jl. Cikuya Tonggoh No.77 Ds.Lagadar, Kec.Margaasih, Kab.Bandung -Jawa Barat-Indonesia Phone 022.667.64.19 Fax : 022.667.64.29 Head Office : Jl. Setrasari V No 17 Bandung Phone 022.200.15.66 Fax : 022.200.15.67