



MI 60

ACRON MI 60

Fields of application:	Non-blocking levelling and migration agent for dyeing PAN(Acrylic) fibres with cationic dyes
Composition:	Benzyltrimethyl ammonium chloride
Appearance:	Yellowish, clear liquid
Ionic state:	Cationic
pH-value (10 % solution):	Approx. 5
Density (20 °C):	Approx. 1.1 g/cm ³
Viscosity (20 °C):	Approx. 180 mPa.s
Solubility:	In cold water
Stabilities:	Stable to acids, salts and hard water in usual concentrations
Storage stability:	Approx. 12 months after delivery, if stored in the original unopened drums under the stated conditions
Storage conditions:	Recommended storage temperature: + 3 °C to + 35 °C Resistant to frost
Packing:	Drum, container

Factory and Office : Jl. Cikuya Tonggoh No.77 Ds.Lagadar, Kec.Margaasih, Kab.Bandung -Jawa Barat-Indonesia
Phone 022.667.64.19 Fax : 022.667.64.29
Head Office : Jl. Setrasari V No 17 Bandung Phone 022.200.15.66 Fax : 022.200.15.67