

## DEFOAMER FKM cc

## Fields of application: Highly effective defoamer of mineral oil Stable of Alkali, Acid, High temperature.

Composition:	Carbonic acid derivative with non-ionic emulsifiers
Appearance:	White and, slightly turbid liquid
Ionic state:	Non-ionic
pH-value (10 % solution):	Approx. 4
Density (at 20 °C):	Approx. 0.9 g/cm <sup>3</sup>
Viscosity (at 20 °C):	Approx. 300 mPa.s
Solubility:	In cold or warm water Do not boil or work with a high-speed stirrer
Stabilities:	Stable to acid, alkaline liquors and to liquors with high contents of electrolytes
Storage stability:	Approx. 12 months after delivery, if stored in the original unopened drums under the stated conditions
Storage conditions:	Recommended storage temperature: + 3 °C to + 35 °C Resistant to frost
Packing:	60Kg, 120Kg, 200Kg, container

Factory and Office : Jl. Cikuya Tonggoh No.77 Ds.Lagadar, Kec.Margaasih, Kab.Bandung -Jawa Barat-Indonesia Phone 022.667.64.19 Fax : 022.667.64.29 Head Office : Jl. Setrasari V No 17 Bandung Phone 022.200.15.66 Fax : 022.200.15.67